EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	35	380/277-280,283,285-286,44,45. ccls. and ((key adj (set pair ring pool table storage tree)) with (random$3 near2 (select$3 choos $3 chosen pick$3 obtain$3 distribut$3 provid$3 transmit$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:44
L6	3	380/277-280,283,285-286,44,45. ccls. and ((broadcast$3 broad $cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) same ((search$3 discover$3 find$3 match$3) with (pair common shar$3)) with (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:49
L7	8	380/277-280,283,285-286,44,45. ccls. and ((broadcast$3 broad $cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and ((search$3 discover$3 find$3 match$3) with (pair common shar$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:51
L8	86	380/277-280,283,285-286,44,45,255,270,269.ccls. and ((stor$3 with (key near (ring private session common shared pair))) with ((each plural$3 multiple various different) near3 (node user clients member computer units device subscriber)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:53
L9	13	380/277-280,283,285-286,44,45. ccls. and ((key near1 (ring pair)) with random$3 with (select$3 establish$5 obtain$4 determin$4 comput$3 shar$3 arrang$3) near3 (node device member terminal apparatus user client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:54
L10	79	380/277-280,283,285-286,44,45,255,270,269.ccls. and ((search$3 find$3 discover$3 look $3 seek$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:55

L11	214	380/277-280,283,285-286,44,45,255,270,269.ccls. and (((distribut$4 shar$3 allocat$3) near2 key) with ((plural$3 multiple various different) near2 (node user clients member computer units device)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:55
L12	3	l11 and (establish$4 with (secure near (communication link channel)) with (shar$3 common session) near key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:56
L13	46	713/163,168,169.ccls. and ((search$3 find$3 discover$3 look $3 seek$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 14:56
L14	41	((search$3 find$3 discover$3 look $3 seek$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:00
L15	1	((search$3 find$3 discover$3 look $3 seek$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair)) and ((establish$4 with (secure near (communication link channel)) with ((shar$3 common session) near key)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:01
L16	9	(((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and ((search$3 discover$3 find$3 match$3) with (pair common shar$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:05
L17	2	(((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) same ((search$3 discover$3 find$3 match$3) with (pair common shar$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:05

L18	3	((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and (key near (ring private session common shared pair)) same ((search$3 discover $3 find$3 match$3) with (pair common shar$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:07
L19	3	((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and (key near (ring private session common shared pair pool)) same ((search$3 discover$3 find$3 match$3) with (pair common shar$3) near3 (node device member terminal apparatus user client)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:07
L20	1	((LAURENT) near2 (ESCHENAUER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/14 15:08
L21	16	((VIRGIL) near2 (GLIGOR)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/11/14 15:08
L22	1	l21 and ((search$3 find$3 discover$3 look$3 seek$3) near3 (node user clients member computer units device subscriber) with (key near (ring private session common shared pair pool)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 15:09
L33	2	"455"$.ccls. and ((key adj (set pair ring pool table storage tree)) with (random$3 near2 (select$3 choos$3 chosen pick$3 obtain$3 distribut$3 provid$3 transmit$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:11
L34	1	"455"/410,411.ccls. and ((key adj (set pair ring pool table storage tree)) with (random$3 near2 (select$3 choos$3 chosen pick$3 obtain$3 distribut$3 provid$3 transmit$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:12
L35	4	"370"$.ccls. and ((key adj (set pair ring pool table storage tree)) with (random$3 near2 (select$3 choos$3 chosen pick$3 obtain$3 distribut$3 provid$3 transmit$3)) with ("keys" or (pair near key)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/14 16:12

| L36 | 1 | "370"/$.ccls. and ((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and ((search$3 discover$3 find$3 match$3) with (pair common shar $3) with (node device member terminal apparatus user client)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/14 16:13 |
| L37 | 1 | "709"/$.ccls. and ((broadcast$3 broad$cast$3 transmit$3 send$3) with (key near (identifier "ID" identity tag indicator))) and ((search$3 discover$3 find$3 match$3) with (pair common shar $3) near3 (node device member terminal apparatus user client)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/11/14 16:13 |

11/14/2008 4:14:00 PM
C:\Documents and Settings\npatel5\My Documents\EAST\Workspaces\FY_07\WorkSpace_626.wsp